

**MANAGED LANES: A NEW CONCEPT FOR FREEWAY TRAVEL:  
A POSITION PAPER FOR THE MEDIA**

by

Tina Collier  
Assistant Transportation Researcher  
Texas Transportation Institute

and

Ginger Daniels Goodin, P.E.  
Associate Research Engineer  
Texas Transportation Institute

Report 4160-6-P2  
Project Number 0-4160  
Research Project Title: Operating Freeways with Managed Lanes

Sponsored by the  
Texas Department of Transportation  
In Cooperation with  
U.S. Department of Transportation  
Federal Highway Administration

February 2002

TEXAS TRANSPORTATION INSTITUTE  
The Texas A&M University System  
College Station, TX 77843-3135



## INTRODUCTION

What was once known as rush hour may now last up to six hours each day in Texas' most congested cities. But the idea of "managed lanes" is giving transportation planners another way to address the growing problem of traffic congestion.

Limited land availability, scarce funds, and social and environmental concerns may prevent adding new freeway lanes. The combination of these factors is forcing transportation planners and engineers to explore new ways to more effectively operate the existing transportation network.

"Managed lanes" is one such concept that is being used successfully across the country.

## WHAT ARE MANAGED LANES?

The theory behind managed lanes is to set aside certain freeway lanes and to use a variety of operating strategies to move traffic more efficiently in those lanes. As a result, travelers have an option to traveling on a congested freeway. High-occupancy vehicle (HOV) lanes, operating successfully in Houston and Dallas for the last two decades, are examples of managed lanes. The concept of HOV-only lanes is evolving into a new type of facility that offers more choices and more flexibility for a wider range of freeway motorists.

The Texas Department of Transportation (TxDOT) believes that using managed lanes will allow it to leverage existing capacity and move both people and goods in the

most efficient manner possible. The managed lane concept is a tool that is available to the transportation community. This tool may be used as part of a comprehensive plan to achieve regional goals.

Managed lane strategies can:

- maximize existing capacity,
- manage demand,
- offer choices,

### Where To Go For More Information

#### Texas Studies Underway

LBJ Project, Dallas:

<http://www.dot.state.tx.us/insdotdot/geodist/dal/mis/LBJ/lbjmis.htm>

Katy Freeway Reconstruction, Houston: <http://www.katyfreeway.org/>

Loop 1/US 183, Austin: <http://www.mopac183.com/>

#### Other Resources

I-15, San Diego: <http://www.sandag.cog.ca.us/>

FasTrak, California: <http://www.sandag.org/fastrak>

Value Pricing Research: <http://www.valuepricing.org>

FHWA's official policy: <http://www.fhwa.dot.gov////////policy/13-hmpg.htm>

Colorado: <http://www.valuelanes.com/>

Seattle area: <http://www.wsdot.wa.gov/regions/northwest/Traffic/ExpressLanes/>

- improve safety, and
- generate revenue.

## HOW DO MANAGED LANES WORK?

There are different strategies that can be employed to keep traffic flowing on a managed lane facility. Demand management techniques include:

- Time-of-Day Restrictions – allowing access to certain lanes at certain times of the day,
- Vehicle Type Restrictions – allowing access to managed lanes only to certain types of vehicles, such as carpools, buses, trucks, or vehicles paying a fee, and
- Value Pricing – charging motorists for access to managed lanes and/or charging at varying rates for specific time periods. All fees would be collected electronically without the need for toll booths.

Techniques that can be used to operate managed lanes offer incentives to rideshare through improved access for buses or HOVs, which is an important component of regional goals to reduce vehicle travel. Additionally, value pricing is a mechanism that may be used to offer free or reduced-fee travel at certain times as an incentive to shift motorists out of the peak hours.

The key to successfully operating managed lanes is the ability to alter the operations of the lanes in ways that keep traffic flowing. This strategy provides flexibility, not only in the day-to-day operations of the lanes, but in situations where isolated incidents such as a major accident call for the lanes to be open to more or different user groups.

## WHAT ARE THE BENEFITS?

In addition to maximizing *capacity*, managed lanes may generate *revenue*. TxDOT estimates that it currently has only 35 percent of the funds needed to complete projects necessary to maintain mobility throughout the state. Therefore, utilizing tolling mechanisms may provide the only opportunity to get a project built. Additionally, a managed lanes project with pricing may be completed in less time than traditional state financing by using bond proceeds to finance the project. By implementing a project financed through bond money, other local non-tolling projects in the funding pipeline may be advanced more quickly.

Managed lanes may improve the *safety* of a roadway. By reducing congestion, the chances for conflict are also minimized. This is especially true in the case of large trucks. Large trucks do not have the maneuverability of passenger autos and thus are at increased risk. Lanes restricted to trucks take the trucks out of the regular mix of traffic resulting in a decreased risk for both motorists and truckers.

Other potentially positive benefits of managed lanes are *environmental impacts*. As congestion in large urban areas increases, air quality decreases. Emissions from motor

vehicles stuck in traffic contribute to the decline in air quality. Emissions, combined with other pollutants, may lead to a non-attainment designation by the U.S. Environmental Protection Agency. This designation has many ramifications, one of which is the loss of millions of dollars in federal highway funding. This funding loss could seriously limit roadway construction.

Even though population in these urban areas is increasing and congestion is becoming worse, new roadway construction is limited by a number of factors, creating a cycle of problems. By more effectively managing existing capacity, the need to add more capacity is lessened, resulting in fewer negative community impacts. For instance, by installing managed lanes in the median of an existing roadway, TxDOT may not need to acquire additional right-of-way where neighborhoods may be affected. At the same time, the managed lanes may move more people in HOVs than simply adding general-purpose lanes.

### **WHERE IT'S WORKING**

One of the most successful examples of a managed lane facility is the I-15 project, known as FasTrak, in San Diego, California. I-15 is a very heavily congested corridor where motorists typically experienced more than 30 minutes of delay daily. The corridor includes two reversible express lanes in the median of I-15. These lanes are separated from the other lanes with concrete barriers.

This two-lane, eight-mile stretch of separated lanes was restricted to high-occupancy vehicles with two or more people. With this restriction the express lanes were underutilized while the adjacent mainlanes of I-15 were heavily congested. The San Diego Association of Governments, the metropolitan planning organization for the area, acting with the California Department of Transportation and the Federal Highway Administration implemented a demonstration program whereby single-occupant vehicles could use the excess capacity by paying a toll to travel in the Express Lanes. The toll varies from \$ .50 to \$ 4.00 depending on the level of congestion in the Express Lanes.



**Figure 1. I-15, San Diego, CA**

The I-15 project has been operating successfully since 1996. Drivers now have an option for their daily commute. HOVs continue to use the lanes free of charge, and solo drivers

can decide whether or not to pay the toll for a faster commute. The operating agencies are now using the roadway capacity more effectively. The program also generates revenue that funds transit improvements in the corridor.

Bus ridership in the corridor has increased by 25 percent, and the number of daily carpools increased 57 percent since project inception. In fact, an entirely new bus service, *Inland Breeze*, is funded solely from revenue generated by the FasTrak program. A 20-mile extension of the project is planned.

Recent public opinion research in the I-15 corridor indicates broad support for the project. Eighty-eight percent of the FasTrak users and 66 percent of the non-users approve of the program, and a majority of both groups agree that the FasTrak program reduces congestion on I-15. A vast majority of the motorists agree that it is a good idea to have a time-savings option on I-15. These high levels of approval are represented across all income levels and ethnic groups.

## **WHAT'S AHEAD FOR TEXAS**

In Houston, the managed lane concept is currently being used on the I-10 and US 290 HOV lanes. HOVs with two people (HOV2s) are allowed to use the lanes during the HOV 3-person (HOV3+) time period by paying a flat-fee toll of \$2.00 per trip. For this fee, HOV2s travel at free-flow conditions in the barrier-separated HOV lane. Similar to the FasTrak program, participants in the program must register and be issued an electronic transponder, and the tolls are debited from the driver's account. Motorists who take advantage of the program cite its flexibility as an incentive for using the program.

Throughout the state there are a number of major freeway reconstruction projects where managed lanes are either planned or being considered. Cities where managed lanes are under consideration are:

- Houston – I-10,
- Dallas – I-635,
- San Antonio – I-35,
- Ft. Worth – SH 121/SH 114,
- Austin – Loop 1/US 183, and
- Waco – I-35.

Each project has unique characteristics, and TxDOT is approaching each in a way that meets the travel needs in the corridor and is consistent with community objectives.

The managed lanes concept is but one tool available to transportation planners. When used in conjunction with a comprehensive, long-range transportation plan, the concept has the ability to achieve the intended goals of the entire community.

## REFERENCES

1. Kuhn, Beverly, Ginger Daniels, and Debbie Jasek. *Year 1 Annual Report of Progress: Operating Freeways with Managed Lanes*. TTI Research Report 4160-2, Texas Transportation Institute. January 2002.
2. Collier, Tina, and Ginger Daniels Goodin. *Marketing the Managed Lanes Concept*. TTI Research Report 4160-7, Texas Transportation Institute. January 2002.